

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 0 763 938 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
19.03.1997 Bulletin 1997/12

(51) Int. Cl.⁶: H04N 7/087, G11B 27/28

(21) Application number: 96202494.9

(22) Date of filing: 10.07.1989

(84) Designated Contracting States:
DE FR GB IT NL

(30) Priority: 15.07.1988 US 219971

(62) Document number(s) of the earlier application(s) in
accordance with Art. 76 EPC:
89909061.7 / 0 424 469

(71) Applicant: STARSIGHT TELECAST, INC.
Palo Alto, California 94301 (US)

(72) Inventor: Young, Patrick
California 94403 (US)

(74) Representative: Cross, Rupert Edward Blount et
al
BOULT WADE TENNANT
27 Fumival Street
London EC4A 1PQ (GB)

Remarks:

This application was filed on 09 - 09 - 1996 as a
divisional application to the application mentioned
under INID code 62.

(54) A system and process for recording and indexing broadcast information

(57) A system for recording and indexing broadcast information includes a recording device (30) for receiving and recording the broadcast information and means (3, 4, 5, 9) for receiving and storing schedule information. A data processor (5) is connected to the recording device (30). The data processor (5) includes means for creating and storing an index of location and identification of recorded broadcast information using inputs for

the index received from the schedule information and from the recording device (30). The system also includes a memory (9) coupled to said data processor (5) for storing information identifying a local channel number on which a cable channel is supplied. A process for recording and indexing broadcast information is also disclosed.




FIG. 1

Description

CROSS REFERENCE TO RELATED INVENTION

This invention relates to an improvement in the invention described in my earlier U.S. Patent 4,706,121, issued November 10, 1987 and entitled "TV Schedule System and Process."

BACKGROUND OF THE INVENTION

1. Field of the Invention:

The present invention further relates generally to a system and process in which television supplemental data is embedded in a televised broadcast and, on cue, the viewer can store the supplemental data. Such supplemental data can include schedule information, such as time, channel, program name and program type. The stored data is used to program a VCR automatically for recording a supplemental televised program as defined by the schedule information.

2. Description of the Prior Art:

The above-referenced related patent describes a system and process which allows user selection of broadcast programs from schedule information for presentation to a television set and/or recording by a VCR. The prior art discussed in that patent and of record in its application shows a variety of systems and processes for increasing the functionality of a television set and/or a VCR.

While a number of such systems and processes are known in this art, none of these systems and processes deal with a way to provide supplemental information about material being broadcast to a viewer. An example of such supplemental information that would be of substantial interest to certain viewers is further information on a product that is advertised during a regular broadcast. Such commercial time is very expensive, particularly during prime time or televised sporting events with very large audiences, so that commercials have a typical length of from 30 seconds to one minute. For many advertised products, viewers need more information than can be provided during the commercials on, for example, features, prices and local availability before they make a decision to purchase the product. The ability to provide such supplemental information selectively to viewers who desire it would be of substantial value to advertisers and other suppliers of televised information.

SUMMARY OF THE INVENTION

Accordingly, it is an object of this invention to provide a system and process which will allow a viewer to select interactively to receive supplemental information related to material in a television broadcast.

It is another object of the invention to provide such

a system and process which will provide the supplemental information for recording when broadcast time is inexpensive.

It is a further object of the invention to provide such a system and process which will allow viewers to select supplemental information from a menu.

It is another object of the invention to provide a VCR schedule controller that provides an improved index of recorded material on a tape.

The attainment of these and related objects may be achieved through use of the novel system and process for VCR scheduling herein disclosed. A system and process for VCR scheduling in accordance with this invention has a recording device, a broadcast receiver and a data processor connected to the recording device and to the broadcast receiver. The data processor includes means for presenting a cue on the broadcast receiver during the broadcast. A means is connected to the data processor for receiving a user response to the cue. A means responsive to the user response to the cue controls the recording device to record the supplemental information.

A process for presenting supplemental information about a broadcast in accordance with the invention includes providing a cue during a broadcast indicating the availability of supplemental information relating to the broadcast. A response to the cue is received from the user. The supplemental information is supplied to the user after receiving the cue response from the user. Preferably, the supplemental information is broadcast at a later time. Schedule information for the supplemental information is provided with the broadcast. The schedule information is stored after the user response to the cue and used to record the supplemental information with a recording device when the supplemental information is broadcast.

This apparatus allows supplemental information to be delivered to the viewer selectively, at a time that is beneficial and convenient for broadcasters, and retrieved by the viewer in a prompt and convenient way. One method of sending supplemental data is using the video blanking interval (VBI) segment of the video signal to carry teletext-formatted data. A teletext receiver-based apparatus is used to decode the supplemental data.

The cue may be a caption on the screen, an audio signal or message, an indicator on the apparatus, or anything that can alert the viewer. The cue may be generated selectively by the apparatus, based on the content of the supplemental data received, or the cue may be contained in the normal televised video picture or sound. The viewer responds to the cue by pushing a key on a remote controller, by a switch on the apparatus, by making a loud sound, or by any other means that will activate the system to store the supplemental data in memory.

When the viewer successfully stores the data on cue, the system may issue an acknowledgement. This may be another caption, an audio signal or message, or

anything else to inform the viewer that the response to the cue has been entered. The system will then automatically tune the VCR to the scheduled channel and time defined by the supplemental data.

The attainment of the foregoing and related objects, advantages and features of the invention should be more readily apparent to those skilled in the art, after review of the following more detailed description of the invention, taken together with the drawings, in which:

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a block diagram of a system for VCR scheduling in accordance with the invention.

Figure 2 is a block diagram of another system for VCR scheduling in accordance with the invention.

DETAILED DESCRIPTION OF THE INVENTION

Turning now to the drawings, more particularly to Figure 1, there is shown a block diagram of an integrated VCR schedule controller in accordance with the invention. In this embodiment, the controller is provided built into a VCR, but it can also be provided separate from the VCR, such as by using the remote facility of the

VCR to provide inputs to the VCR. Broadcast data is received over antenna 1 or cable 2 by a programmable tuner 3, which has an output connected to input 14 of a teletext receiver 4. The teletext receiver may be a Sears Caption Decoder. The output of the teletext receiver 4 is connected to a microprocessor 5. Microprocessor output 11 is connected to a video display generator 10, used to create text for television receiver 60. Video switcher 15 connects the display generator 10 output 17 to the TV receiver 60 to display a message from the microprocessor 5.

The microprocessor 5 has a random access memory 9 and a system clock/calendar 6. After processing the embedded data, the microprocessor 5 generates a cue by outputting a symbol or message to the display generator 10 for display on TV receiver 60. Remote control receiver 20 receives a command from a remote controller 22 from a viewer input in response to the cue. Remote control receiver 20 is connected to an input line 21 and supplies a control signal to cause the microprocessor to store the embedded data in memory 9. The microprocessor then issues a message to the display generator 10 as an acknowledgement of the viewer input.

The cue can be implemented in many ways other than through the microprocessor 5. The simplest is an audio or visual stimulus that is part of the sound or video portion of the broadcast. In this case, both the display generator 10 and the video switcher 15 are unnecessary. The provision of the cue separate from the sound or video portion of the broadcast, such as in the VBI, which is then added to the sound or video portion of the signal provided to the TV receiver 60 by the microprocessor, is not distracting to viewers without the system of

this invention.

The microprocessor 5 monitors the system clock 6 and compares it with the stored schedules from the embedded supplemental data. When the system time corresponds to one of the scheduled times, the microprocessor 5 sets the programmable tuner 3 to the stored channel and initiates recording on VCR 30 by a control signal on line 32. The VCR receives its signal from antenna 35 or cable 36.

In addition to obtaining schedule information as part of a broadcast, in a system 90 as shown in Figure 2, the schedule information can be received by a computer 5 using a modem 94 and processed by the computer 5. Based on user selections, one or more program schedule listings is stored in computer memory. At the time of the broadcasts, the computer 5 activates a VCR 30 for recording of the selected programs. Serial output port 32 of the computer 5 connects to a control bus of the VCR 30 to turn on the VCR, control channel selection and enable recording of the program.

The system 90 incorporates a feature for automatically converting television guide station listings to channel selections for cable users. To eliminate need to convert station listings to local channel numbers each time the VCR 30 is to be programmed for unattended recording, a memory is provided so that the user only needs to enter the conversion once. After that, the conversion is handled by the computer 5. An entry table is provided on-screen requesting the user to enter a cable channel number corresponding to each station name or number. Alternatively, both the station name or number and the cable number may be read from a bar-code conversion guide, using a bar-code reader. In either method, the conversion data is stored in a table in memory. During unattended recording, the channel number corresponding to the station name is used by the computer 5 to control channel selection on the VCR 30. With such a conversion stored locally in the system 90, cable schedule information can be supplied under cable channel names (e.g., ESPN) on a regional or national basis and selection of the appropriate local channel number for that cable service made by the controller 90.

The system 90 uses electronic indexing for automatic retrieval of programs. During recording, the location of the program is identified by a capstan counter with a digital readout. This index information identifying where a program to be recorded is stored into a log along with the name of the program. During playback, the VCR 30 will automatically go to the indexed location and start playback.

Line 101 from the VCR 30 is a serial bus containing the index data. It is connected to a serial input port of the computer 5. Search is made by comparing the present index value and the stored index value. Search is completed when the index value from the VCR 30 matches the stored index value.

The system 90 also provides self-indexed cassette recordings. At the start of each cassette tape, a complete description of the start and end positions of every

program recorded on the cassette is stored along with the program names. During playback, this information is read by the teletext decoder of the VCR 30 and presented on the screen, allowing the user to identify quickly what is recorded and to access the desired program automatically. Access is made by name selection from the log.

During recording, a complete log is created for each tape as described above. Before the tape is removed from the VCR 30, the tape is rewound to the start, and the log information is recorded onto video blanking interval (VBI) tracks of the tape using a VBI data encoder 110 of the type described in my above-referenced issued patent. Line 102 is a serial output from the computer 5 to the VBI encoder 110 and line 103 is the video signal with the embedded log information connecting to the video input port of the VCR 30. While the log information is recorded, the VCR 30 receives its signals from the antenna input 35 to the video input.

During playback, a VBI teletext decoder 108 receives data from the VCR on line 107, which is the video output port of VCR 30. After decoding, the data is received on line 106 by computer 5 on a second input port. Other than as shown and described, the construction and operation of the Figure 2 embodiment of the invention is the same as that of the Figure 1 embodiment.

Further details on implementing systems of this invention are available in my above-referenced issued patent, the disclosure of which is incorporated by reference herein.

It should now be apparent to those skilled in the art that a novel VCR schedule system and process capable of achieving the stated objects of the invention has been provided. The system and process allows interactive selection by a viewer of further information related to information being broadcast, which may be made with a menu selection. The further information can be broadcast for recording by a viewer at a different time, when broadcast time is less costly and/or underutilized.

It should further be apparent to those skilled in the art that various changes in form and details of the invention as shown and described may be made. It is intended that such changes be included within the spirit and scope of the claims appended hereto.

Claims

1. A system for recording and indexing broadcast information, which comprises a recording device (30) for receiving and recording the broadcast information, means (3, 4, 5, 9) for receiving and storing schedule information, a data processor (5) connected to said recording device (30), said data processor (5) including means for creating and storing an index of location and identification of recorded broadcast information using inputs for the index received from the schedule information and from said recording device (30), said system includ-

ing a memory (9) coupled to said data processor (5) for storing information identifying a local channel number on which a cable channel is supplied.

2. A system for recording and indexing broadcast information, which comprises a recording device (30) for receiving and recording the broadcast information, a data processor (5) connected to said recording device, characterized in that said data processor includes means (5, 9) for creating and storing an index of recorded broadcast information and said system includes means (5, 9, 30) for recording the index on a recording medium including the recorded material, said system including a memory (9) coupled to said data processor (5) for storing information identifying a local channel number on which a cable channel is supplied.
3. The system for recording and indexing broadcast information of claim 2 further characterized in that said system includes means for selecting broadcast information for recording from schedule information and said means for creating and storing the index is configured to compile the index from the schedule information.
4. The system for recording and indexing broadcast information of claim 1 further characterized in that said means for creating and storing an index is configured to store at least a title of the broadcast information as the index input from the schedule information.
5. The system for recording and indexing broadcast information of claim 4 further characterized in that said means for creating and storing an index is configured to store at least a numeric location of the recorded information as the index input from the recording device.
6. A process for recording and indexing broadcast information, which comprises receiving a user input identifying a local channel number on which a cable channel is received, storing information corresponding to the user input identifying the local channel number on which the cable channel is supplied, using the information corresponding to the input for receiving the broadcast information, creating and storing an index of recorded broadcast information, and recording the index on a recording medium including the recorded broadcast information.
7. The process for recording and indexing broadcast information of claim 6 further characterized by selecting broadcast information for recording from schedule information and creating the index from the schedule information.




FIG.—1




FIG.—2

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 0 763 938 A3

(12)

EUROPEAN PATENT APPLICATION

(88) Date of publication A3:
30.09.1998 Bulletin 1998/40

(51) Int. Cl.⁶: H04N 7/087, G11B 27/28

(43) Date of publication A2:
19.03.1997 Bulletin 1997/12

(21) Application number: 96202494.9

(22) Date of filing: 10.07.1989

(84) Designated Contracting States:
DE FR GB IT NL

(72) Inventor: Young, Patrick
California 94403 (US)

(30) Priority: 15.07.1988 US 219971

(74) Representative:
Kinsler, Maureen Catherine et al
Kilburn & Strode,
20 Red Lion Street
London WC1R 4PJ (GB)

(62) Document number(s) of the earlier application(s) in
accordance with Art. 76 EPC:
89909061.7 / 0 424 469

(71) Applicant:
STARSIGHT TELECAST, INC.
Palo Alto, California 94301 (US)

(54) A system and process for recording and indexing broadcast information

(57) A system for recording and indexing broadcast information includes a recording device (30) for receiving and recording the broadcast information and means (3, 4, 5, 9) for receiving and storing schedule information. A data processor (5) is connected to the recording device (30). The data processor (5) includes means for creating and storing an index of location and identification of recorded broadcast information using inputs for

the index received from the schedule information and from the recording device (30). The system also includes a memory (9) coupled to said data processor (5) for storing information identifying a local channel number on which a cable channel is supplied. A process for recording and indexing broadcast information is also disclosed.




FIG. 1

EP 0 763 938 A3



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 96 20 2494

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.6)
Y	DE 36 21 263 A (STANDARD ELEKTRIK LORENZ) 7 January 1988 * the whole document *	1-7	H04N7/087 G11B27/28
Y	PATENT ABSTRACTS OF JAPAN vol. 8, no. 206 (E-267), 20 September 1984 & JP 59 090470 A (SHARP), 24 May 1984 * abstract *	1-7	
A	BENSCH U: "VIDEOTEXT PROGRAMS VIDEORECORDER (VPV)" PROCEEDINGS OF THE INTERNATIONAL CONFERENCE ON CONSUMER ELECTRONICS (ICCE), ROSEMONT, JUNE 8 - 10, 1988, no. CONF. 7, 8 June 1988, page 210/211 XP000012936 INSTITUTE OF ELECTRICAL AND ELECTRONICS ENGINEERS * the whole document *	1-7	
A	WO 88 04507 A (BRITISH BROADCASTING CORPORATION) 16 June 1988 * abstract; figure 1 * * page 4, line 6 - line 15 * * page 7, line 16 - line 27 *	1-7	TECHNICAL FIELDS SEARCHED (Int.Cl.6) H04N G11B
A	US 4 706 121 A (YOUNG) 10 November 1987 * column 2, line 35 - line 55 * * column 4, line 13 - line 52 * * column 10, line 19 - line 33 * * column 14, line 36 - line 54 * * column 21, line 65 - column 22, line 25; figures 3,4 * -/--	1-7	
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 7 August 1998	Examiner Berwitz, P
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document</p>			

EPO FORM 1503 03.82 (P04C01)



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 96 20 2494

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.6)
A	PATENT ABSTRACTS OF JAPAN vol. 12, no. 396 (P-774), 21 October 1988 & JP 63 136378 A (MATSUSHITA ELECTRIC INDUSTRIAL), 8 June 1988 * abstract *	1-7	
A	US 4 701 794 A (FRÖLING ET AL.) 20 October 1987 * abstract; figure 1 * * column 4, line 43 - line 49 *	1,2,6	
A	PATENT ABSTRACTS OF JAPAN vol. 12, no. 342 (E-658), 14 September 1988 & JP 63 103575 A (SEIKO EPSON), 9 May 1988 * abstract *	1,2,6	
A	PATENT ABSTRACTS OF JAPAN vol. 11, no. 249 (E-532), 13 August 1987 & JP 62 060372 A (CASIO COMPUTER), 17 March 1987 * abstract *	1,2,6	
The present search report has been drawn up for all claims			TECHNICAL FIELDS SEARCHED (Int.Cl.6)
Place of search THE HAGUE		Date of completion of the search 7 August 1998	Examiner Berwitz, P
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document</p>			

EPO FORM 1503 03/92 (P04C01)

THIS PAGE BLANK (USPTO)